



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50206010-002



Feb 08, 2025 | HIGH ROLLER PRIVATE
LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US



PASSED

Pages 1 of 1

SAFETY RESULTS

Pesticides
NOT TESTED

Heavy Metals
NOT TESTED

Microbials
NOT TESTED

Mycotoxins
NOT TESTED

**Residuals
Solvents**
NOT TESTED

Filtration
NOT TESTED

Water Activity
NOT TESTED

Moisture
NOT TESTED

MISC.

Terpenes
NOT TESTED



Cannabinoid

PASSED



Total THC
0.139%



Total CBD
47.636%



Total Cannabinoids
59.327%

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.139	ND	47.636	ND	ND	6.638	ND	0.635	ND	4.216	0.063
mg/ml	1.39	ND	476.36	ND	ND	66.38	ND	6.35	ND	42.16	0.63
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 3379, 1440

Weight:
0.1183g

Extraction date:
02/07/25 12:00:28

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA083081POT
Instrument Used : DA-LC-003
Analized Date : 02/08/25 19:36:44

Batch Date : 02/07/25 09:19:08

Dilution : 400
Reagent : 011325.R06; 010825.48; 011325.R03
Consumables : 947.110; 04312111; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/08/25