



Certificate of Analysis


COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50331009-002



Apr 02, 2025 | HIGH ROLLER PRIVATE
LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US



TESTED

Pages 1 of 1

SAFETY RESULTS

Pesticides
NOT TESTED

Heavy Metals
NOT TESTED

Microbials
NOT TESTED

Mycotoxins
NOT TESTED

**Residuals
Solvents**
NOT TESTED

Filtration
NOT TESTED

Water Activity
NOT TESTED

Moisture
NOT TESTED

MISC.

Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
0.213%



Total CBD
41.188%



Total Cannabinoids
61.989%

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.213	ND	41.188	ND	ND	17.305	0.120	ND	ND	3.163	ND
mg/g	2.13	ND	411.88	ND	ND	173.05	1.20	ND	ND	31.63	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
4351, 1665, 585, 1440

Weight:
0.1115g

Extraction date:
04/01/25 12:47:22

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA084924POT
Instrument Used : DA-LC-007
Analyzed Date : 04/02/25 09:08:17

Batch Date : 04/01/25 08:40:27

Dilution : 400
Reagent : 032825.R13; 012725.03; 030725.R05
Consumables : 947.110; 04312111; 062224CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/02/25