



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30120012-001
Harvest/Lot ID: FSW51423

Batch#: FSW51423

Cultivation Facility:
Processing Facility:
Distributor Facility:
Source Facility:
Seed to Sale# N/A

Batch Date: N/A

Sample Size Received: 166 gram

Total Amount: N/A

Retail Product Size: 6 gram


Ordered : 01/19/23

Sampled : 01/19/23

Completed: 01/24/23

Sampling Method: SOP.T.20.010.FL


Jan 24, 2023 | HIGH ROLLER PRIVATE
LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
NOT TESTED

Moisture
NOT TESTED

Terpenes
NOT TESTED
MISC.

Cannabinoid
PASSED

Total THC
0.074%
Total THC/Container : 4.44 mg

Total CBD
0.665%
Total CBD/Container : 39.9 mg

Total Cannabinoids
0.857%
Total Cannabinoids/Container : 51.42 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.074	ND	0.665	ND	0.102	ND	ND	0.002	ND	ND	0.014
mg/g	0.74	ND	6.65	ND	1.02	ND	ND	0.02	ND	ND	0.14
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
6.4429g

Extraction date:
01/20/23 11:06:38

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA054947POT
Instrument Used : DA-LC-007
Running on : 01/20/23 11:50:31

Reviewed On : 01/23/23 14:14:38
Batch Date : 01/20/23 08:58:04

Dilution : 40
Reagent : 011223.R07; 070621.18; 011223.R06
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

 4095N 28TH WAY
 HOLLYWOOD, FL, 33020, US
 Telephone: (954) 505-4481
 Email: admin@highrollerllc.com

 Sample : DA30120012-001
 Harvest/Lot ID: FSW51423

 Batch# : FSW51423
 Sampled : 01/19/23
 Ordered : 01/19/23

 Sample Size Received : 166 gram
 Total Amount : N/A
 Completed : 01/24/23 Expires: 01/24/24
 Sample Method : SOP Client Method

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 53, 1440	0.9169g	01/20/23 13:54:48	585,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA054954PES			Reviewed On : 01/23/23 12:07:30		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 01/20/23 09:18:36		
FENHEXAMID	0.01	ppm	3	PASS	ND	Running on : 01/20/23 13:56:26					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 011723.R01; 011723.R03; 122722.R21; 011823.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	3379, 450, 53, 1440, 585	0.9169g	N/A	585,3379,450		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA054956VOL			Reviewed On : 01/23/23 10:20:50		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 01/20/23 09:20:55		
METALAXYL	0.01	ppm	3	PASS	ND	Running on : 01/20/23 13:55:28					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 011723.R03; 040521.11; 011723.R20; 011723.R29					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

 4095N 28TH WAY
 HOLLYWOOD, FL, 33020, US
 Telephone: (954) 505-4481
 Email: admin@highrollerllc.com

Sample : DA30120012-001

Harvest/Lot ID: FSW51423

Batch# : FSW51423

Sampled : 01/19/23

Ordered : 01/19/23

Sample Size Received : 166 gram

Total Amount : N/A

Completed : 01/24/23 Expires: 01/24/24

Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	<2500
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0227g

 Extraction date:
 01/23/23 12:59:45

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA054990SOL
 Instrument Used : DA-GCMS-002
 Running on : 01/23/23 13:12:58

 Reviewed On : 01/23/23 14:05:40
 Batch Date : 01/20/23 16:24:57

 Dilution : 1
 Reagent : 030420.09
 Consumables : 153047; G201.120
 Pipette : DA-306 10uL Syringe 35031

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC



 4095N 28TH WAY
 HOLLYWOOD, FL, 33020, US
 Telephone: (954) 505-4481
 Email: admin@highrollerllc.com

 Sample : DA30120012-001
 Harvest/Lot ID: FSW51423

 Batch# : FSW51423
 Sampled : 01/19/23
 Ordered : 01/19/23

 Sample Size Received : 166 gram
 Total Amount : N/A
 Completed : 01/24/23 Expires: 01/24/24
 Sample Method : SOP Client Method

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
LISTERIA MONOCYTOGENES			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
TOTAL YEAST AND MOLD	10	CFU/g	480	PASS	100000	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
						AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440 Weight: 0.9763g Extraction date: 01/20/23 11:24:24 Extracted by: 3621						Analyzed by: 585, 3379, 53, 1440 Weight: 0.9169g Extraction date: N/A Extracted by: 585,3379					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA054962MIC Instrument Used : PathogenDx Scanner DA-111 Running on : 01/20/23 11:51:04						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA054955MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 01/20/23 13:56:43					
Dilution : N/A Reagent : 011323.26; 110822.R31; 072122.26 Consumables : N/A Pipette : N/A						Dilution : 250 Reagent : 011723.R01; 011723.R03; 122722.R21; 011823.R01; 040521.11 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3621, 3702, 585, 1440 Weight: 0.9763g Extraction date: 01/20/23 11:24:24 Extracted by: 3621,3390						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA054971TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 01/20/23 11:53:37						Reviewed On : 01/23/23 12:43:57 Batch Date : 01/20/23 10:17:16					
Dilution : 10 Reagent : 011323.26 Consumables : 004103 Pipette : N/A						Dilution : 50 Reagent : 122822.R42; 121922.R11; 011323.R03; 011123.R31; 011323.R01; 011323.R02; 122322.R25; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 585 Weight: 0.5984g Extraction date: 01/20/23 12:06:24 Extracted by: 1022					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA054964HEA Instrument Used : DA-ICPMS-003 Running on : 01/20/23 17:37:05					
Dilution : 50 Reagent : 122822.R42; 121922.R11; 011323.R03; 011123.R31; 011323.R01; 011323.R02; 122322.R25; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30120012-001
Harvest/Lot ID: FSW51423

Batch# : FSW51423
Sampled : 01/19/23
Ordered : 01/19/23

Sample Size Received : 166 gram
Total Amount : N/A
Completed : 01/24/23 Expires: 01/24/24
Sample Method : SOP Client Method

Page 5 of 5



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA054992FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 01/20/23 19:54:23

Reviewed On : 01/21/23 13:51:54

Batch Date : 01/20/23 19:45:07

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Signature

01/24/23

Signed On