



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50519001-007



Production Method: Other - Not Listed

Harvest/Lot ID: MCTM2425

Batch#: MCTM2425

Harvest Date: 04/28/25

Sample Size Received: 30 ml

Total Amount: 30 ml

Retail Product Size: 30 gram

Retail Serving Size: 30 gram

Servings: 1

Sample Density: 0.94 g/mL

Ordered: 05/15/25


Sampled: 05/19/25

Completed: 05/22/25

Sampling Method: SOP.T.20.010.FL

May 22, 2025 | HIGH ROLLER PRIVATE  
LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US



PASSED

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
PASSED



Heavy Metals  
PASSED



Microbials  
PASSED



Mycotoxins  
PASSED



Residuals  
Solvents  
PASSED



Filtration  
PASSED



Water Activity  
NOT TESTED



Moisture  
NOT TESTED



Terpenes  
NOT TESTED

MISC.



### Cannabinoid

TESTED



Total THC  
ND

Total THC/Container : 0.000 mg



Total CBD  
3.506%

Total CBD/Container : 1051.800 mg



Total Cannabinoids  
3.520%

Total Cannabinoids/Container : 1056.000 mg

|       | D9-THC | THCA  | CBD   | CBDA  | D8-THC | CBG   | CBGA  | CBN   | THCV  | CBDV  | CBC   |
|-------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %     | ND     | ND    | 3.506 | ND    | ND     | ND    | ND    | ND    | ND    | 0.014 | ND    |
| mg/ml | ND     | ND    | 32.96 | ND    | ND     | ND    | ND    | ND    | ND    | 0.13  | ND    |
| LOD   | 0.001  | 0.001 | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| %     | %      | %     | %     | %     | %      | %     | %     | %     | %     | %     | %     |

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
3.5212g

Extraction date:  
05/21/25 06:54:28

Extracted by:  
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086659POT

Instrument Used : DA-LC-003

Analyzed Date : 05/21/25 09:21:53

Batch Date : 05/20/25 09:45:51

Dilution : 40

Reagent : 120324.07; 052025.R03; 090924.05; 021125.07; 051225.R02

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation # PJA-  
Testing 97164



Signature  
05/22/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



COCONUT OIL CBD 1000mg per 30mL Bottle  
COCONUT OIL CBD 1000mg per 30mL Bottle  
Matrix : Edible  
Type: Other Edible Product

# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA50519001-007  
Harvest/Lot ID: MCTM2425

Batch# : MCTM2425  
Sampled : 05/19/25  
Ordered : 05/19/25

Sample Size Received : 30 ml  
Total Amount : 30 ml  
Completed : 05/22/25 Expires: 05/22/26  
Sample Method : SOP Client Method

Page 2 of 5



## Pesticides

**PASSED**

| Pesticide                           | LOD   | Units | Action Level | Pass/Fail | Result | Pesticide                                                                                                                                                | LOD             | Units                              | Action Level           | Pass/Fail                      | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------------|------------------------|--------------------------------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm   | 30           | PASS      | ND     | OXAMYL                                                                                                                                                   | 0.010           | ppm                                | 0.5                    | PASS                           | ND     |
| TOTAL DIMETHOMORPH                  | 0.010 | ppm   | 3            | PASS      | ND     | PACLOBUTRAZOL                                                                                                                                            | 0.010           | ppm                                | 0.1                    | PASS                           | ND     |
| TOTAL PERMETHRIN                    | 0.010 | ppm   | 1            | PASS      | ND     | PHOSMET                                                                                                                                                  | 0.010           | ppm                                | 0.2                    | PASS                           | ND     |
| TOTAL PYRETHRINS                    | 0.010 | ppm   | 1            | PASS      | ND     | PIPERONYL BUTOXIDE                                                                                                                                       | 0.010           | ppm                                | 3                      | PASS                           | ND     |
| TOTAL SPINETORAM                    | 0.010 | ppm   | 3            | PASS      | ND     | PRALLETHRIN                                                                                                                                              | 0.010           | ppm                                | 0.4                    | PASS                           | ND     |
| TOTAL SPINOSAD                      | 0.010 | ppm   | 3            | PASS      | ND     | PROPICONAZOLE                                                                                                                                            | 0.010           | ppm                                | 1                      | PASS                           | ND     |
| ABAMECTIN B1A                       | 0.010 | ppm   | 0.3          | PASS      | ND     | PROPOXUR                                                                                                                                                 | 0.010           | ppm                                | 0.1                    | PASS                           | ND     |
| ACEPHATE                            | 0.010 | ppm   | 3            | PASS      | ND     | PYRIDABEN                                                                                                                                                | 0.010           | ppm                                | 3                      | PASS                           | ND     |
| ACEQUINOCYL                         | 0.010 | ppm   | 2            | PASS      | ND     | SPIROMESIFEN                                                                                                                                             | 0.010           | ppm                                | 3                      | PASS                           | ND     |
| ACETAMIPRID                         | 0.010 | ppm   | 3            | PASS      | ND     | SPIROTETRAMAT                                                                                                                                            | 0.010           | ppm                                | 3                      | PASS                           | ND     |
| ALDICARB                            | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROXAMINE                                                                                                                                              | 0.010           | ppm                                | 0.1                    | PASS                           | ND     |
| AZOXYSTROBIN                        | 0.010 | ppm   | 3            | PASS      | ND     | TEBUCONAZOLE                                                                                                                                             | 0.010           | ppm                                | 1                      | PASS                           | ND     |
| BIFENAZATE                          | 0.010 | ppm   | 3            | PASS      | ND     | THIACLOPRID                                                                                                                                              | 0.010           | ppm                                | 0.1                    | PASS                           | ND     |
| BIFENTHRIN                          | 0.010 | ppm   | 0.5          | PASS      | ND     | THIAMETHOXAM                                                                                                                                             | 0.010           | ppm                                | 1                      | PASS                           | ND     |
| BOSCALID                            | 0.010 | ppm   | 3            | PASS      | ND     | TRIFLOXYSTROBIN                                                                                                                                          | 0.010           | ppm                                | 3                      | PASS                           | ND     |
| CARBARYL                            | 0.010 | ppm   | 0.5          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) *                                                                                                                         | 0.010           | ppm                                | 0.2                    | PASS                           | ND     |
| CARBOFURAN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | PARATHION-METHYL *                                                                                                                                       | 0.010           | ppm                                | 0.1                    | PASS                           | ND     |
| CHLORANTRANILIPROLE                 | 0.010 | ppm   | 3            | PASS      | ND     | CAPTAN *                                                                                                                                                 | 0.070           | ppm                                | 3                      | PASS                           | ND     |
| CHLORMEQUAT CHLORIDE                | 0.010 | ppm   | 3            | PASS      | ND     | CHLORDANE *                                                                                                                                              | 0.010           | ppm                                | 0.1                    | PASS                           | ND     |
| CHLORPYRIFOS                        | 0.010 | ppm   | 0.1          | PASS      | ND     | CHLORFENAPYR *                                                                                                                                           | 0.010           | ppm                                | 0.1                    | PASS                           | ND     |
| CLOFENTEZINE                        | 0.010 | ppm   | 0.5          | PASS      | ND     | CYFLUTHRIN *                                                                                                                                             | 0.050           | ppm                                | 1                      | PASS                           | ND     |
| COUMAPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *                                                                                                                                           | 0.050           | ppm                                | 1                      | PASS                           | ND     |
| DAMINOZIDE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analized by: 3621, 3379, 585, 1440                                                                                                                       | Weight: 0.2582g | Extraction date: 05/20/25 16:05:49 | Extracted by: 450,3379 |                                |        |
| DIAZINON                            | 0.010 | ppm   | 3            | PASS      | ND     | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL                                                                                                       |                 |                                    |                        |                                |        |
| DICHLORVOS                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analytical Batch : DA086650PES                                                                                                                           |                 |                                    |                        |                                |        |
| DIMETHOATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-LCMS-003 (PES)                                                                                                                      |                 |                                    |                        | Batch Date : 05/20/25 09:29:54 |        |
| ETHOPROPHOS                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed Date : 05/21/25 09:22:07                                                                                                                        |                 |                                    |                        |                                |        |
| ETOFENPROX                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Dilution : 250                                                                                                                                           |                 |                                    |                        |                                |        |
| ETOXAZOLE                           | 0.010 | ppm   | 1.5          | PASS      | ND     | Reagent : 051625.R16; 081023.01                                                                                                                          |                 |                                    |                        |                                |        |
| FENHEXAMID                          | 0.010 | ppm   | 3            | PASS      | ND     | Consumables : 040724CH01; 6822423-02                                                                                                                     |                 |                                    |                        |                                |        |
| FENOXYCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Pipette : N/A                                                                                                                                            |                 |                                    |                        |                                |        |
| FENPYROXIMATE                       | 0.010 | ppm   | 2            | PASS      | ND     | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                 |                                    |                        |                                |        |
| FIPRONIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Analized by: 450, 585, 1440                                                                                                                              | Weight: 0.2582g | Extraction date: 05/20/25 16:05:49 | Extracted by: 450,3379 |                                |        |
| FLONICAMID                          | 0.010 | ppm   | 2            | PASS      | ND     | Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL                                                                                                      |                 |                                    |                        |                                |        |
| FLUDIOXONIL                         | 0.010 | ppm   | 3            | PASS      | ND     | Analytical Batch : DA086652VOL                                                                                                                           |                 |                                    |                        |                                |        |
| HEXYTHIAZOX                         | 0.010 | ppm   | 2            | PASS      | ND     | Instrument Used : DA-GCMS-001                                                                                                                            |                 |                                    |                        | Batch Date : 05/20/25 09:31:31 |        |
| IMAZALIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed Date : 05/21/25 14:46:11                                                                                                                        |                 |                                    |                        |                                |        |
| IMIDACLOPRID                        | 0.010 | ppm   | 1            | PASS      | ND     | Dilution : 250                                                                                                                                           |                 |                                    |                        |                                |        |
| KRESOXIM-METHYL                     | 0.010 | ppm   | 1            | PASS      | ND     | Reagent : 051625.R16; 081023.01; 050525.R16; 050525.R17                                                                                                  |                 |                                    |                        |                                |        |
| MALATHION                           | 0.010 | ppm   | 2            | PASS      | ND     | Consumables : 040724CH01; 6822423-02; 17473601                                                                                                           |                 |                                    |                        |                                |        |
| METALAXYL                           | 0.010 | ppm   | 3            | PASS      | ND     | Pipette : DA-080; DA-146; DA-218                                                                                                                         |                 |                                    |                        |                                |        |
| METHIOCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.    |                 |                                    |                        |                                |        |
| METHOMYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                          |                 |                                    |                        |                                |        |
| MEVINPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                          |                 |                                    |                        |                                |        |
| MYCLOBUTANIL                        | 0.010 | ppm   | 3            | PASS      | ND     |                                                                                                                                                          |                 |                                    |                        |                                |        |
| NALED                               | 0.010 | ppm   | 0.5          | PASS      | ND     |                                                                                                                                                          |                 |                                    |                        |                                |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director


State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
05/22/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



COCONUT OIL CBD 1000mg per 30mL Bottle

COCONUT OIL CBD 1000mg per 30mL Bottle

Matrix : Edible

Type: Other Edible Product

# Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA50519001-007

Harvest/Lot ID: MCTM2425

Batch# : MCTM2425

Sampled : 05/19/25

Ordered : 05/19/25

Sample Size Received : 30 ml

Total Amount : 30 ml

Completed : 05/22/25 Expires: 05/22/26

Sample Method : SOP Client Method

Page 3 of 5



## Residual Solvents

PASSED

| Solvents             | LOD     | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE   | 0.800   | ppm   | 8            | PASS      | ND     |
| 1,2-DICHLOROETHANE   | 0.200   | ppm   | 2            | PASS      | ND     |
| 2-PROPANOL           | 50.000  | ppm   | 500          | PASS      | ND     |
| ACETONE              | 75.000  | ppm   | 750          | PASS      | ND     |
| ACETONITRILE         | 6.000   | ppm   | 60           | PASS      | ND     |
| BENZENE              | 0.100   | ppm   | 1            | PASS      | ND     |
| BUTANES (N-BUTANE)   | 500.000 | ppm   | 5000         | PASS      | ND     |
| CHLOROFORM           | 0.200   | ppm   | 2            | PASS      | ND     |
| DICHLOROMETHANE      | 12.500  | ppm   | 125          | PASS      | ND     |
| ETHANOL              | 500.000 | ppm   | 5000         | PASS      | ND     |
| ETHYL ACETATE        | 40.000  | ppm   | 400          | PASS      | ND     |
| ETHYL ETHER          | 50.000  | ppm   | 500          | PASS      | ND     |
| ETHYLENE OXIDE       | 0.500   | ppm   | 5            | PASS      | ND     |
| HEPTANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| METHANOL             | 25.000  | ppm   | 250          | PASS      | ND     |
| N-HEXANE             | 25.000  | ppm   | 250          | PASS      | ND     |
| PENTANES (N-PENTANE) | 75.000  | ppm   | 750          | PASS      | ND     |
| PROPANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| TOLUENE              | 15.000  | ppm   | 150          | PASS      | ND     |
| TOTAL XYLENES        | 15.000  | ppm   | 150          | PASS      | ND     |
| TRICHLOROETHYLENE    | 2.500   | ppm   | 25           | PASS      | ND     |

Analyzed by:  
4451, 3379, 585, 1440

Weight:  
0.0212g

Extraction date:  
05/20/25 11:48:58

Extracted by:  
4451

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA086656SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 05/21/25 09:14:05

Batch Date : 05/20/25 09:37:24

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 315545  
Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
05/22/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



COCONUT OIL CBD 1000mg per 30mL Bottle  
COCONUT OIL CBD 1000mg per 30mL Bottle  
Matrix : Edible  
Type: Other Edible Product

# Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA50519001-007  
Harvest/Lot ID: MCTM2425

Batch# : MCTM2425  
Sampled : 05/19/25  
Ordered : 05/19/25

Sample Size Received : 30 ml  
Total Amount : 30 ml  
Completed : 05/22/25 Expires: 05/22/26  
Sample Method : SOP Client Method

Page 4 of 5

|                                                                                                                                                                                       |                    |                                    |                                |                    |                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------|--------------------------------|--------------------|---------------------|
|                                                                                                      | <h1>Microbial</h1> | <h2>PASSED</h2>                    |                                |                    |                     |
| <b>Analyte</b>                                                                                                                                                                        | <b>LOD</b>         | <b>Units</b>                       | <b>Result</b>                  | <b>Pass / Fail</b> | <b>Action Level</b> |
| SALMONELLA SPECIFIC GENE                                                                                                                                                              |                    |                                    | Not Present                    | PASS               |                     |
| ECOLI SHIGELLA                                                                                                                                                                        |                    |                                    | Not Present                    | PASS               |                     |
| ASPERGILLUS FLAVUS                                                                                                                                                                    |                    |                                    | Not Present                    | PASS               |                     |
| ASPERGILLUS FUMIGATUS                                                                                                                                                                 |                    |                                    | Not Present                    | PASS               |                     |
| ASPERGILLUS TERREUS                                                                                                                                                                   |                    |                                    | Not Present                    | PASS               |                     |
| ASPERGILLUS NIGER                                                                                                                                                                     |                    |                                    | Not Present                    | PASS               |                     |
| TOTAL YEAST AND MOLD                                                                                                                                                                  | 10                 | CFU/g                              | <10                            | PASS               | 100000              |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL                                                                                                                     | Weight: 0.9169g    | Extraction date: 05/20/25 10:52:34 | Extracted by: 4892,4044        |                    |                     |
| Analytical Batch : DA086633MIC                                                                                                                                                        |                    |                                    |                                |                    |                     |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) |                    |                                    | Batch Date : 05/20/25 07:43:39 |                    |                     |
| Analysis Date : 05/22/25 10:45:57                                                                                                                                                     |                    |                                    |                                |                    |                     |
| Dilution : 10                                                                                                                                                                         |                    |                                    |                                |                    |                     |
| Reagent : 030625.20; 031325.05; 041525.R13; 101624.10                                                                                                                                 |                    |                                    |                                |                    |                     |
| Consumables : 7579004049                                                                                                                                                              |                    |                                    |                                |                    |                     |
| Pipette : N/A                                                                                                                                                                         |                    |                                    |                                |                    |                     |
| Analysis Method : SOP.T.40.209.FL                                                                                                                                                     | Weight: 0.9169g    | Extraction date: 05/20/25 10:52:34 | Extracted by: 4892,4044        |                    |                     |
| Analytical Batch : DA086634TYM                                                                                                                                                        |                    |                                    |                                |                    |                     |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]                                                                                                                   |                    |                                    | Batch Date : 05/20/25 07:45:42 |                    |                     |
| Analysis Date : 05/22/25 12:49:25                                                                                                                                                     |                    |                                    |                                |                    |                     |
| Dilution : 10                                                                                                                                                                         |                    |                                    |                                |                    |                     |
| Reagent : 030625.20; 031325.05; 050725.R36                                                                                                                                            |                    |                                    |                                |                    |                     |
| Consumables : N/A                                                                                                                                                                     |                    |                                    |                                |                    |                     |
| Pipette : N/A                                                                                                                                                                         |                    |                                    |                                |                    |                     |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.                                              |                    |                                    |                                |                    |                     |

|                                                                                                                                     |                     |                                    |                                |                    |                     |
|-------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------------------------------|--------------------------------|--------------------|---------------------|
|                                                    | <h1>Mycotoxins</h1> | <h2>PASSED</h2>                    |                                |                    |                     |
| <b>Analyte</b>                                                                                                                      | <b>LOD</b>          | <b>Units</b>                       | <b>Result</b>                  | <b>Pass / Fail</b> | <b>Action Level</b> |
| AFLATOXIN B2                                                                                                                        | 0.002               | ppm                                | ND                             | PASS               | 0.02                |
| AFLATOXIN B1                                                                                                                        | 0.002               | ppm                                | ND                             | PASS               | 0.02                |
| OCHRATOXIN A                                                                                                                        | 0.002               | ppm                                | ND                             | PASS               | 0.02                |
| AFLATOXIN G1                                                                                                                        | 0.002               | ppm                                | ND                             | PASS               | 0.02                |
| AFLATOXIN G2                                                                                                                        | 0.002               | ppm                                | ND                             | PASS               | 0.02                |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL                                                                                  | Weight: 0.2582g     | Extraction date: 05/20/25 16:05:49 | Extracted by: 450,3379         |                    |                     |
| Analytical Batch : DA086651MYC                                                                                                      |                     |                                    |                                |                    |                     |
| Instrument Used : N/A                                                                                                               |                     |                                    | Batch Date : 05/20/25 09:31:16 |                    |                     |
| Analysis Date : 05/21/25 09:09:56                                                                                                   |                     |                                    |                                |                    |                     |
| Dilution : 250                                                                                                                      |                     |                                    |                                |                    |                     |
| Reagent : 051625.R16; 081023.01                                                                                                     |                     |                                    |                                |                    |                     |
| Consumables : 040724CH01; 6822423-02                                                                                                |                     |                                    |                                |                    |                     |
| Pipette : N/A                                                                                                                       |                     |                                    |                                |                    |                     |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                     |                                    |                                |                    |                     |

|                                                                                                                               |                       |                                    |                                |                    |                     |
|-------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------------|--------------------------------|--------------------|---------------------|
|                                            | <h1>Heavy Metals</h1> | <h2>PASSED</h2>                    |                                |                    |                     |
| <b>Metal</b>                                                                                                                  | <b>LOD</b>            | <b>Units</b>                       | <b>Result</b>                  | <b>Pass / Fail</b> | <b>Action Level</b> |
| TOTAL CONTAMINANT LOAD METALS                                                                                                 | 0.080                 | ppm                                | ND                             | PASS               | 5                   |
| ARSENIC                                                                                                                       | 0.020                 | ppm                                | ND                             | PASS               | 1.5                 |
| CADMIUM                                                                                                                       | 0.020                 | ppm                                | ND                             | PASS               | 0.5                 |
| MERCURY                                                                                                                       | 0.020                 | ppm                                | ND                             | PASS               | 3                   |
| LEAD                                                                                                                          | 0.020                 | ppm                                | ND                             | PASS               | 0.5                 |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL                                                                            | Weight: 0.2453g       | Extraction date: 05/20/25 12:34:56 | Extracted by: 1022,4531        |                    |                     |
| Analytical Batch : DA086669HEA                                                                                                |                       |                                    |                                |                    |                     |
| Instrument Used : DA-ICPMS-004                                                                                                |                       |                                    | Batch Date : 05/20/25 10:33:51 |                    |                     |
| Analysis Date : 05/21/25 10:35:52                                                                                             |                       |                                    |                                |                    |                     |
| Dilution : 50                                                                                                                 |                       |                                    |                                |                    |                     |
| Reagent : 051225.R09; 051425.R13; 051925.R18; 050925.R16; 051925.R19; 051925.R20; 120324.07; 050825.R06                       |                       |                                    |                                |                    |                     |
| Consumables : 040724CH01; J609879-0193; 179436                                                                                |                       |                                    |                                |                    |                     |
| Pipette : DA-061; DA-191; DA-216                                                                                              |                       |                                    |                                |                    |                     |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                       |                                    |                                |                    |                     |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director


State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/22/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



COCONUT OIL CBD 1000mg per 30mL Bottle

COCONUT OIL CBD 1000mg per 30mL Bottle

Matrix : Edible

Type: Other Edible Product

# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA50519001-007

Harvest/Lot ID: MCTM2425

Batch# : MCTM2425

Sampled : 05/19/25

Ordered : 05/19/25

Sample Size Received : 30 ml

Total Amount : 30 ml

Completed : 05/22/25 Expires: 05/22/26

Sample Method : SOP Client Method

Page 5 of 5



**Filth/Foreign  
Material**

**PASSED**

| Analyte                    | LOD   | Units | Result | P/F  | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | %     | ND     | PASS | 1            |

|                                 |               |                                       |                       |
|---------------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by:<br>1879, 585, 1440 | Weight:<br>1g | Extraction date:<br>05/21/25 11:30:18 | Extracted by:<br>1879 |
|---------------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA086718FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/21/25 14:40:45

Batch Date : 05/21/25 11:18:19

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/22/25