



Certificate of Analysis


COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50127001-002



Jan 30, 2025 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US



PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.156%

Total THC/Container : 43.056 mg



Total CBD
3.672%

Total CBD/Container : 1013.472 mg



Total Cannabinoids
3.859%

Total Cannabinoids/Container : 1065.084 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.156	ND	3.672	ND	<0.010	<0.010	ND	<0.010	ND	0.016	0.015
mg/ml	1.44	ND	33.78	ND	<0.09	<0.09	ND	<0.09	ND	0.15	0.14
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 3605, 3379, 585, 1440

Weight:
3.0461g

Extraction date:
01/28/25 11:51:21

Extracted by:
3605,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA082708POT
Instrument Used : DA-LC-003
Analyzed Date : 01/29/25 10:02:00

Batch Date : 01/28/25 10:06:56

Dilution : 400
Reagent : 011325.R06; 010825.48; 011325.R03
Consumables : 947.110; 04312111; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
01/30/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FULL SPECTRUM CBD 1000mg per 30mL Bottle.

FULL SPECTRUM CBD 1000mg per 30mL Bottle.

Matrix : Derivative

Type: Hemp Oil - Derivative



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA50127001-002
Harvest/Lot ID: MCTM1425

Batch# : MCTM1425
Sampled : 01/27/25
Ordered : 01/27/25

Sample Size Received : 30 ml
Total Amount : 30 ml
Completed : 01/30/25 Expires: 01/30/26
Sample Method : SOP Client Method

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	ppm	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	ppm	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by:	3621, 3379, 585, 1440	Weight:	0.2772g	Extraction date:	01/28/25 15:36:43
DICHLORVOS	0.010	ppm	0.1	PASS	ND					Extracted by:	3621,450
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA082691PES				
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)			Batch Date :	01/28/25 08:40:10
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analyzed Date :	01/29/25 12:23:39				
FENHEXAMID	0.010	ppm	3	PASS	ND	Dilution :	250				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent :	012725.R01; 012325.R01; 012725.R03; 012325.R04; 102124.R08; 012225.R02; 081023.01				
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Consumables :	221021DD				
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analyzed by:	450, 3379, 585, 1440	Weight:	0.2772g	Extraction date:	01/28/25 15:36:43
IMAZALIL	0.010	ppm	0.1	PASS	ND					Extracted by:	3621,450
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL				
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analytical Batch :	DA082693VOL				
MALATHION	0.010	ppm	2	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	01/28/25 08:42:30
METALAXYL	0.010	ppm	3	PASS	ND	Analyzed Date :	01/29/25 12:19:36				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution :	250				
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent :	012725.R03; 081023.01; 010725.R16; 010825.R35				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables :	221021DD; 040724CH01; 17473601				
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FULL SPECTRUM CBD 1000mg per 30mL Bottle.
FULL SPECTRUM CBD 1000mg per 30mL Bottle.

Matrix : Derivative

Type: Hemp Oil - Derivative



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA50127001-002
Harvest/Lot ID: MCTM1425

Batch# : MCTM1425
Sampled : 01/27/25
Ordered : 01/27/25

Sample Size Received : 30 ml
Total Amount : 30 ml
Completed : 01/30/25 Expires: 01/30/26
Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
585, 3379, 1440

Weight:
0.0237g

Extraction date:
01/29/25 10:24:20

Extracted by:
4571,585,3379

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA082717SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 01/29/25 12:54:33

Batch Date : 01/28/25 15:50:30

Dilution : 1
Reagent : 030420.09
Consumables : 27296; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FULL SPECTRUM CBD 1000mg per 30mL Bottle.

FULL SPECTRUM CBD 1000mg per 30mL Bottle.

Matrix : Derivative

Type: Hemp Oil - Derivative



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC


4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com


Sample : DA50127001-002
Harvest/Lot ID: MCTM1425


Batch# : MCTM1425
Sampled : 01/27/25
Ordered : 01/27/25

Sample Size Received : 30 ml
Total Amount : 30 ml
Completed : 01/30/25 Expires: 01/30/26
Sample Method : SOP Client Method

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 4777, 3379, 585, 1440	Weight: 0.971g	Extraction date: 01/28/25 10:02:15	Extracted by: 4777,4520		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA082685MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366 Analyzed Date : 01/29/25 12:39:34 Dilution : 10 Reagent : 011025.06; 011025.08; 011025.09; 111524.92; 011525.R47; 093024.01 Consumables : 7580001029 Pipette : N/A					
Analyzed by: 4777, 4531, 585, 1440	Weight: 0.971g	Extraction date: 01/28/25 10:02:15	Extracted by: 4777,4520		
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA082686TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 01/30/25 12:35:44 Dilution : 10 Reagent : 011025.06; 011025.08; 011025.09; 111524.92; 110724.R13 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440	Weight: 0.2772g	Extraction date: 01/28/25 15:36:43	Extracted by: 3621,450		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA082692MYC Instrument Used : N/A Analyzed Date : 01/29/25 08:01:07 Dilution : 250 Reagent : 012725.R01; 012325.R01; 012725.R03; 012325.R04; 102124.R08; 012225.R02; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2262g	Extraction date: 01/28/25 11:22:33	Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA082703HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 01/29/25 09:19:22 Dilution : 50 Reagent : 122024.R10; 112624.R32; 012725.R07; 012325.R19; 012725.R05; 012725.R06; 120324.07; 012125.R24 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FULL SPECTRUM CBD 1000mg per 30mL Bottle.
FULL SPECTRUM CBD 1000mg per 30mL Bottle.
Matrix : Derivative
Type: Hemp Oil - Derivative



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA50127001-002
Harvest/Lot ID: MCTM1425
Batch# : MCTM1425
Sampled : 01/27/25
Ordered : 01/27/25

Sample Size Received : 30 ml
Total Amount : 30 ml
Completed : 01/30/25 Expires: 01/30/26
Sample Method : SOP Client Method

Page 5 of 5



Filtration
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3379, 585, 1440	Weight: 1g	Extraction date: 01/30/25 08:51:03	Extracted by: N/A
---------------------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA082748FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 01/29/25 15:25:42

Batch Date : 01/29/25 09:26:37

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/25