

Kaycha Labs

FULL SPECTRUM CBD 5000mg per 60mL Bottle. FULL SPECTRUM CBD 5000mg per 60mL Bottle.

Matrix: Derivative

Classification: CBD - Full or Broad Spectrum - THC present Type: Hemp Oil - Derivative



Production Method: CO2

Harvest/Lot ID: FSVM1425

Sample Size Received: 60 ml

Retail Product Size: 60 gram Retail Serving Size: 60 gram

Sample Density: 0.94 g/mL

Sampling Method: SOP.T.20.010.FL

Batch#: FSVM1425 **Harvest Date: 02/06/25**

Servings: 1

Total Amount: 60 ml

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50220010-002



Feb 24, 2025 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US



PASSED

Ordered: 02/19/25 Sampled: 02/20/25 Completed: 02/24/25

Pages 1 of 5

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



PASSED



Residuals Solvents **PASSED**



PASSED

Batch Date: 02/21/25 08:45:34



Water Activity **NOT TESTED**



Moisture **NOT TESTED**





Terpenes NOT **TESTED**

TESTED



Cannabinoid

Total THC 0.189%

Total THC/Container: 113.400 mg



Total CBD 8.457%

Total CBD/Container : 5074.200 mg



Total Cannabinoids 8.699%

Total Cannabinoids/Container: 5219.400

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.189	ND	8.457	ND	< 0.010	< 0.010	ND	<0.010	ND	0.038	0.015
mg/ml	1.78	ND	79.50	ND	< 0.09	< 0.09	ND	< 0.09	ND	0.36	0.14
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
alyzed by: 51, 3605, 58	5, 1440			Weight: 3.0787g		traction date: 2/21/25 13:14:46			Extra 3335	cted by: ,4351	

Analysis Method : SOP T 40 031 SOP T 30 031

Analytical Batch: DA083564POT Instrument Used: DA-LC-003 Analyzed Date: 02/24/25 08:38:03

Reagent: 021825.R05; 010825.48; 021825.R02

Consumables: 947.110; 04312111; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 02/24/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors





Certificate of Analysis

LOD Units

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US **Telephone:** (954) 505-4481 **Email:** admin@highrollerllc.com Sample: DA50220010-002 Harvest/Lot ID: FSVM1425

Pass/Fail Result

Batch#: FSVM1425 Sampled: 02/20/25 Ordered: 02/20/25 Sample Size Received: 60 ml Total Amount: 60 ml Completed: 02/24/25 Expires: 02/24/26 Sample Method: SOP Client Method

Page 2 of 5



Pesticides

PASSED

			Level			Pesticide				Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
	0.010	ppm	3	PASS	ND				1.1.			ND
	0.010	ppm	1	PASS	ND							ND
OTAL PYRETHRINS	0.010	ppm	1	PASS	ND							
	0.010	ppm	3	PASS	ND							ND
	0.010	ppm	3	PASS	ND	PRALLETHRIN		0.010	ppm	0.4		ND
BAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE		0.010	ppm	1	PASS	ND
CEPHATE	0.010	ppm	3	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
CEQUINOCYL	0.010	ppm	2	PASS	ND	PYRIDABEN		0.010	ppm	3	PASS	ND
CETAMIPRID	0.010	ppm	3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
ZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROYAMINE		0.010	nnm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND							ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND					_		ND
OSCALID	0.010	ppm	3	PASS	ND							
ARBARYL	0.010	ppm	0.5	PASS	ND							ND
ARBOFURAN	0.010	ppm	0.1	PASS	ND							ND
HLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PO	CNB) *					ND
HLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	PARATHION-METHYL *				0.1	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	3	PASS	ND
LOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	1	PASS	ND
DIAZINON	0.010	ppm	3	PASS	ND					1	PASS	ND
DICHLORVOS			0.1	PASS	ND		leight:				Extracted by	
DIMETHOATE			0.1	PASS	ND							
THOPROPHOS			0.1	PASS	ND						, , 5 0 5	
TOFENPROX			0.1	PASS	ND	Analytical Batch : DA083572PES						
TOXAZOLE							ES)		Batch	Date: 02/21/2	25 09:12:33	
ENHEXAMID												
ENOXYCARB		I I										
							21DD					
				PASS		Pipette: N/A						
		I I				-	rmed utilizing Lid	quid Chrom	atography Tri	ple-Quadrupol	e Mass Spectron	netry in
						accordance with F.S. Rule 64ER20-39.			5 1 7			,
		1.1										
									12:18:16		450,4640,585	
			_				L, SOP.T.40.151.	FL				
									Ratch Da	to : 02/21/25	ng-18-38	
									Dateii Da	. 02/21/23	05.10.30	
						Dilution: 250						
							012825.R39; 01	2825.R40				
							21DD; 17473601					
		P. P.				-						
								s Chromat	ography Triple	e-Quadrupole I	Mass Spectrome	try in
IALED	0.010	ppm	0.5	PASS	ND	accordance with F.S. Rule 64ER20-39.						
	OTAL DIMETHOMORPH OTAL PERMETHRIN OTAL PERMETHRIN OTAL SPINETORAM DIA CCEPHATE CCEQUINOCYL CCETAMIPRID LLDICARB LLOCAYSTROBIN DIFFENAZATE DIFFENA	OTAL PERMETHRIN 0.010 OTAL PYRETHRINS 0.010 OTAL SPINETORAM 0.010 OTAL SPINETORAM 0.010 OTAL SPINOSAD 0.010 IBAMECTIN B1A 0.010 ICEPHATE 0.010 ICEPHATE 0.010 ICEPHATE 0.010 ICECTAMIPRID 0.010 ICETAMIPRID 0.010	OTAL PERMETHRIN 0.010 ppm OTAL PYRETHRINS 0.010 ppm OTAL SPINETORAM 0.010 ppm OTAL SPINETORAM 0.010 ppm OTAL SPINOSAD 0.010 pp	OTAL PERMETHRIN 0.010 ppm 1	OTAL PERMETHRIN	OTAL PERMETHRIN O.010 ppm 1	OTAL DIMETHOMORPH	OTAL DIMETHOMORPH 0.010 ppm 1 PASS ND PASS ND PASS ND OTAL PERMETHRIN 0.010 ppm 1 PASS ND PHOSMET TOTAL PYRETHRINS 0.010 ppm 3 PASS ND PHOSMET TOTAL SPIROTAD 0.010 ppm 3 PASS ND PROPROVIL BITOXIDE TOTAL SPIROTAD 0.010 ppm 3 PASS ND PROPROVIL BITOXIDE TOTAL SPIROTAD 0.010 ppm 3 PASS ND PROPROVIL BITOXIDE TOTAL SPIROTAD 0.010 ppm 3 PASS ND PROPROVIL BITOXIDE TOTAL SPIROTAD 0.010 ppm 3 PASS ND PROPROVIL BITOXIDE TOTAL SPIROTAD 0.010 ppm 3 PASS ND PROPROVIL BITOXIDE TOTAL SPIROTAD 0.010 ppm 3 PASS ND PROPROVIL BITOXIDE TOTAL SPIROTAD 0.010 ppm 3 PASS ND PROPROVIL BITOXIDE TOTAL SPIROTAD 0.010 ppm 3 PASS ND PROPROVIL BITOXIDE 0.010 ppm 0.10 PASS ND PROPROVIL BITOXIDE 0.010	OTAL DIMETHONORPH	OTAL DIRTHOMORPH	OTAL DIRETHOMORPH	PACLOBUTRAZOL O.010 pm 0.1 PASS PASC O.07014 PERMETRINN O.010 pm 0.1 PASS O.07014 PERMETRINN O.010 pm 0.2 PASS O.07014 PERMETRINN O.010 pm 0.3 PASS O.07014 PERMETRINN O.010 pm 0.4 PASS O.07014 PERMETRINN O.010 pm 0.1 PASS O.07014 PERMETRINN O.010 pm O.07014 PASS O.07014 PERMETRINN O.07

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 02/24/25





Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Email: admin@highrollerllc.com Sample : DA50220010-002 Harvest/Lot ID: FSVM1425

Batch#:FSVM1425 Sampled: 02/20/25 Ordered: 02/20/25

Sample Size Received: 60 ml Total Amount : 60 ml Completed: 02/24/25 Expires: 02/24/26 Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	<375.000
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0271g	Extraction date: 02/23/25 08:00:25		Extra 850	acted by:

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA083588SOL

Instrument Used: DA-GCMS-002 **Analyzed Date:** $02/23/25 \ 11:20:49$

Dilution: 1 Reagent: 030420.09

Consumables: 430596; 319008 Pipette: DA-309 25 uL Syringe 35028

Batch Date: 02/21/25 10:59:14

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Lab Director

Signature 02/24/25



Kaycha Labs **■** FULL SPECTRUM CBD 5000mg per 60mL Bottle. FULL SPECTRUM CBD 5000mg per 60mL Bottle. Matrix : Derivative Type: Hemp Oil - Derivative

Certificate of Analysis

PASSED

HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Email: admin@highrollerllc.com Sample : DA50220010-002 Harvest/Lot ID: FSVM1425

Batch#:FSVM1425 Sampled: 02/20/25 Ordered: 02/20/25

Sample Size Received: 60 ml Total Amount : 60 ml Completed: 02/24/25 Expires: 02/24/26 Sample Method: SOP Client Method

Page 4 of 5

0.002 ppm

ND

Batch Date: 02/21/25 09:17:59

PASS

0.02



Microbial

Batch Date: 02/21/25 08:14:37



AFLATOXIN G2

Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		1
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	,

Analyzed by: Weight: **Extraction date:** Extracted by: 1.041g 4044, 4520, 585, 1440 02/21/25 09:56:55 4520,4044

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA083556MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 02/21/25

2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 02/22/25 12:26:59

Dilution: 10

Reagent: 012725.14; 021725.14; 011525.R47; 080724.14

Consumables: 7580001021 Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4044, 1879, 4777, 585, 1440	1.041q	02/21/25 09:56:55	4520,4044

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083557TYM

Instrument Used : Incubator (25*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 02/24/25 08:37:34

Dilution: 10

Reagent: 012725.14; 021725.14; 013025.R13

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	2	,					
4	Analyte		LOD	Units	Result	Pass / Fail	Action Level
	AFLATOXIN	B2	0.002	ppm	ND	PASS	0.02
	AFLATOXIN	B1	0.002	ppm	ND	PASS	0.02
	OCHRATOXII	N A	0.002	ppm	ND	PASS	0.02
	AFLATOXIN	G1	0.002	ppm	ND	PASS	0.02

Analyzed by:	Weight:	Extraction date:	Extracted by:
3621, 585, 1440	0.2638g	02/21/25 12:18:16	450,4640,585

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA083573MYC Instrument Used : DA-LCMS-003 (MYC)

Analyzed Date: 02/24/25 08:33:00

Dilution: 250

Reagent: 021725.R01; 081023.01 Consumables: 040724CH01; 221021DD

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Analyzed by:	Weight:	Extraction	n date:		Extracte	d by:	
LEAD		0.020	ppm	ND	PASS	0.5	
MERCURY		0.020	ppm	ND	PASS	3	
CADMIUM		0.020	ppm	ND	PASS	0.5	
ARSENIC		0.020	ppm	ND	PASS	1.5	
TOTAL CONTAMINANT LO	AD METALS	0.080	ppm	ND	PASS	5	
метаг		LUD	Units	KeSuit	Fail	Action Level	
Metal		LOD	Units	Result	Pass /		

1022, 4056, 585, 1440 0.2623g 02/21/25 09:52:47 4056

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA083562HEA

Instrument Used: DA-ICPMS-004 Batch Date: 02/21/25 08:44:01 **Analyzed Date:** 02/22/25 12:26:16

Dilution: 50

Reagent: 012925.R32; 013025.R04; 021725.R22; 021425.R04; 021725.R20; 021725.R21; 120324.07; 021225.R30

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/24/25





Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Email: admin@highrollerllc.com Sample : DA50220010-002 Harvest/Lot ID: FSVM1425 Batch#:FSVM1425

Sampled: 02/20/25 Ordered: 02/20/25

Sample Size Received: 60 ml Total Amount : 60 ml Completed: 02/24/25 Expires: 02/24/26 Sample Method : SOP Client Method

Page 5 of 5



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 02/21/25 12:53:48 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA083604FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date: 02/21/25 12:43:43

Analyzed Date: 02/21/25 13:17:55

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/24/25