



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31019015-005
 Harvest/Lot ID: 84842
 Batch#: 84842

Sample Size Received: 142 gram
 Total Amount: 1 units
 Retail Product Size: 142 gram
 Ordered: 10/17/23
 Sampled: 10/19/23
 Completed: 10/23/23

Sampling Method: SOP.T.20.010.FL

PASSED

Oct 23, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
 HOLLYWOOD, FL, 33020, US



Pages 1 of 1

PRODUCT IMAGE




SAFETY RESULTS

								
Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED

MISC.

Cannabinoid **PASSED**



Analyzed by: 3335, 1663, 585, 1440, 2023 Weight: 2.9451g Extraction date: 10/20/23 12:34:12 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 10/23/23 09:56:03
 Analytical Batch : DA065567POT Batch Date : 10/20/23 09:45:26
 Instrument Used : DA-LC-007
 Analyzed Date : 10/20/23 12:36:50

Dilution : 400
 Reagent : 100423.R32; 060723.24; 100423.R35
 Consumables : 947.109; 1852142; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 10/23/23