

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Bath Bomb, Sweet Cherry Scent, 150mg CBD per 142g Matrix: Derivative

Type: Topical



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA31019015-006 Harvest/Lot ID: 84841

Batch#: 84841

Sample Size Received: 142 gram

Total Amount: 1 units

Retail Product Size: 142 gram

Ordered: 10/17/23 Sampled: 10/19/23

Completed: 10/23/23 Sampling Method: SOP.T.20.010.FL

PASSED

Oct 23, 2023 | HIGH ROLLER PRIVATE LABEL LLC 4095N 28TH WAY

HOLLYWOOD, FL, 33020, US

PRODUCT IMAGE

SAFETY RESULTS



Ш

Pages 1 of 1

MISC.







Total THC















Pesticides

Heavy Metals

Microbials

Mycotoxins

Residuals Solvents

Filth NOT TESTED

Water Activity

Moisture NOT TEST

NOT TESTED

PASSED



Cannabinoid



Total CBD 0.097%



Total Cannabinoids 0.097%



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA065567POT Instrument Used : DA-LC-007 Analyzed Date : 10/20/23 12:36:50

Dilution: 400

Reagent: 100423.R32; 060723.24; 100423.R35 Consumables: 947.109; 1852142; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

m cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

10/20/23 12:34:13

Reviewed On: 10/23/23 09:56:04

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 10/23/23