

# **Kaycha Labs**

Coconut (MCT) OIL, 550mg CBD per 30mL bottle

Matrix: Edible

Type: Other Edible Product



**Certificate of Analysis** 

**COMPLIANCE FOR RETAIL** 

Sample: DA30418011-002 Harvest/Lot ID: MCTDL2423

Batch#: MCTDL2423 Seed to Sale# MCTDL2423

Sample Size Received: 20 ml Total Amount: 1 units

Retail Product Size: 30 ml **Ordered**: 04/17/23

> Sampled: 04/17/23 Completed: 04/21/23

Sampling Method: SOP.T.20.010.FL

PASSED

Pages 1 of 5

LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US

PRODUCT IMAGE



Pesticides



Apr 21, 2023 | HIGH ROLLER PRIVATE



Heavy Metals



Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC

NOT TESTED

**PASSED** 



#### Cannabinoid



Total THC/Container: 0 mg



Microbials

**Total CBD** 

Total CBD/Container: 588.816 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 592.482

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	ND	ND	2.088	ND	ND	ND	ND	ND	ND	0.013	ND
mg/unit	ND	ND	626.4	ND	ND	ND	ND	ND	ND	3.9	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
nalyzed by:	i. 1440			Weight:		Extraction date:	36	$\uparrow$	X	Extracted by:	

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA058981POT Instrument Used : DA-LC-007 Analyzed Date: 04/19/23 11:09:07

Reviewed On: 04/20/23 09:26:39 Batch Date: 04/19/23 09:36:22

Dilution: 400
Reagent: 040323.01; 071222.35; 071222.01

Consumables: 250346; CE0123; 12617-306CD-306C; 61633-125C6-125E; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

# Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### **Kaycha Labs**

Coconut (MCT) OIL, 550mg CBD per 30mL bottle

N/A

Matrix : Edible Type: Other Edible Product



# **Certificate of Analysis**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US **Telephone:** (954) 505-4481 **Email:** admin@highrollerllc.com Sample: DA30418011-002 Harvest/Lot ID: MCTDL2423

Batch#: MCTDL2423 Sampled: 04/17/23 Ordered: 04/17/23 Sample Size Received: 20 ml
Total Amount: 1 units
Completed: 04/21/23 Expires: 04/21/24
Sample Method: SOP Client Method

**PASSED** 

Page 2 of 5



### **Pesticides**

### **PASSED**

Pesticide	LOD		Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET		0.01	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN		0.01	ppm	0.4	PASS	ND
OTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE		0.01	ppm	1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.3	PASS	ND			0.01		0.1	PASS	ND
CEPHATE	0.01	ppm	3	PASS	ND	PROPOXUR			ppm			
CEQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN		0.01	ppm	3	PASS	ND
CETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN		0.01	ppm	3	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	3	PASS	ND
ZOXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE		0.01	ppm	1	PASS	ND
IFENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	3	PASS	ND	THIAMETHOXAM		0.01	ppm	1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	3	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND			0.01	PPM	0.2	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITROBE	NZENE (PCNB) *					
HLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	3	PASS	ND
LOFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *		0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Evtract	ion date:		Extracted	hv
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2369a		23 12:33:46		450.585	by.
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.	.30.101.FL (Gainesv	ille). SOP.T	.30.102.FL	(Davie), SOP	.T.40.101.FL (	Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	////	/ //		. // // //		
TOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA058				On: 04/21/2		
ENHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LC			Batch Dat	e:04/19/23	10:29:43	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 04/19/23	3 16:27:32					
ENPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 250 Reagent: 041723.R01; 0	M1722 DO2, 041025	DDE: 041	122 001, 04	1122 DOE: 0	41022 DO1. O	10521 1
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075		.K33; U414	+23.KU1; U4	11123.RU3; U	41923.RU1; U	+0321
LONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094						
LUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural age		izing Liguid	Chromatog	raphy Triple-0	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordance	e with F.S. Rule 64E	R20-39.				
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	by:
MIDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 1440	0.2369g		3 12:33:46		450,585	
RESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T						
ALATHION	0.01	ppm	2	PASS	ND	Analytical Batch : DA058 Instrument Used : DA-G0				1:04/20/23 1 04/19/23 10:		
ETALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 04/20/23		Do	accii Date :	0-112/23 10:	J4.Z3	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 041823.R35; 0	40521.11; 040723.	R43; 04072	23.R44			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075						
YCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146	5; DA-218					
ALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural age in accordance with F.S. Ru		izing Gas C	hromatogra	phy Triple-Qu	adrupole Mass	Spectr

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Coconut (MCT) OIL, 550mg CBD per 30mL bottle

N/A

Matrix : Edible

Type: Other Edible Product



# **Certificate of Analysis**

4095N 28TH WAY HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Fmail: admin@highrollerllc.com Sample: DA30418011-002 Harvest/Lot ID: MCTDL2423

Batch#: MCTDL2423 Sampled: 04/17/23 Ordered: 04/17/23

Sample Size Received: 20 ml

Total Amount: 1 units Completed: 04/21/23 Expires: 04/21/24 Sample Method: SOP Client Method

Reviewed On: 04/21/23 17:12:40

Batch Date: 04/20/23 17:10:36

**PASSED** 

Page 3 of 5

## **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	<b>Weight:</b> 0.0205g	Extraction date: 04/21/23 15:24		// // \	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA059067SOL Instrument Used: DA-GCMS-003

Analyzed Date: 04/21/23 16:49:11 Dilution: 1

Consumables : G201.062; G201.120 Pipette : DA-309 25uL Syringe 35028

Reagent: 030420.09

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Coconut (MCT) OIL, 550mg CBD per 30mL bottle

N/A

Matrix : Edible Type: Other Edible Product



PASSED

# **Certificate of Analysis**

4095N 28TH WAY HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Fmail: admin@highrollerllc.com Sample : DA30418011-002 Harvest/Lot ID: MCTDL2423

Batch#: MCTDL2423 Sampled: 04/17/23 Ordered: 04/17/23

Sample Size Received: 20 ml

Total Amount: 1 units Completed: 04/21/23 Expires: 04/21/24 Sample Method: SOP Client Method

Page 4 of 5



#### **Microbial**

## PASSED

# **Mycotoxins**

### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ECOLI SHIGELLA			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	
Analyzed by: 3621, 3336, 3390, 585, 1440	Weight:		Extraction date: 04/21/23 11:58:40		ed by:	
3021, 3330, 3330, 303, 1440	1.089g	04/21/2	5 11:50:40	3336,3390		

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch: DA058970MIC Reviewed On: 04/21/23 12:33:11

Instrument Used: DA-265 Gene-UP RTPCR Analyzed Date: 04/19/23 10:30:54

Dilution: 1

Reagent: 033123.R30; 041823.R24

Consumables: 2125220 Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3390 585 1440	1 080a	04/10/23 10:16:15	3336 3300

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA058985TYM Reviewe

Instrument Used: Incubator (25-27C) DA-096 Analyzed Date: 04/19/23 10:53:16

Reviewed On: 04/21/23 13:47:44 Batch Date: 04/19/23 10:13:47

Batch Date: 04/19/23 08:24:06

Dilution: 10 Reagent: 011323.24 Consumables: 007109 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

\$\hat{C}_{\text{c}}
0

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:		Extraction date:			by:
3379, 585, 1440	0.2369g	04/19/23 12:3	33:46		450,585	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA058995MYC

Instrument Used : N/A

Analyzed Date: 04/19/23 16:27:59

Dilution: 250 Reagent: 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01;

040521.11

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINA	ANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC		0.02	ppm	ND	PASS	1.5
CADMIUM		0.02	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	3
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	3	raction date: /19/23 11:13			ted by: 1022,380	7

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA058979HEA Instrument Used: DA-ICPMS-003 Analyzed Date: 04/19/23 14:41:55 Reviewed On: 04/20/23 09:49:45 Batch Date: 04/19/23 09:15:08

Reviewed On: 04/21/23 10:30:18

Batch Date: 04/19/23 10:34:28

Dilution: 50

Reagent: 040623.R23; 031423.R18; 041423.R38; 040723.R30; 031423.R36; 041423.R37; 040323.R21; 020123.02

Consumables: 179436; 210508058; 12620-307CD-307D

**Pipette :** DA-061; DA-261

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Coconut (MCT) OIL, 550mg CBD per 30mL bottle

N/A

Matrix : Edible Type: Other Edible Product



# **Certificate of Analysis**

HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Sample : DA30418011-002 Harvest/Lot ID: MCTDL2423

Batch#: MCTDL2423 Sampled: 04/17/23 Ordered: 04/17/23

Sample Size Received: 20 ml

Total Amount: 1 units Completed: 04/21/23 Expires: 04/21/24 Sample Method: SOP Client Method

**PASSED** 

Page 5 of 5



Analyzed by: 1879, 1440

### Filth/Foreign **Material**

**PASSED** 

Analyte Filth and Foreign Material LOD Units 0.1 %

Result ND

**Action Level** 

PASS

NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA058963FIL
Instrument Used : Filth/Foreign Material Microscope

Reviewed On: 04/19/23 11:11:11 Batch Date: 04/18/23 23:18:44

Analyzed Date: 04/19/23 10:57:03

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

# PASSED

Analyte Water Activity		<b>LOD</b> 0.01	<b>Units</b> aw	Result 0.43	P/F PASS	Action Leve
Analyzed by: 2926, 585, 1440	Weight: 0.791g		traction d 1/19/23 12			tracted by:

Analyzed by: 2926, 585, 1440 Analysis Method: SOP.T.40.019

Analytical Batch: DA058943WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date: 04/18/23 14:44:06

Reviewed On: 04/19/23 12:49:34 Batch Date: 04/18/23 11:49:41

Dilution: N/A Reagent: 100522.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

