



Certificate of Analysis






COMPLIANCE FOR RETAIL

Sample: DA21109007-002
Harvest/Lot ID: WR254422
Batch#: WR254422
Seed to Sale# N/A
Batch Date: N/A
Sample Size Received: 160 gram
Total Batch Size: N/A
Retail Product Size: 7.5 gram
Ordered : 11/09/22
Sampled : 11/09/22
Completed: 11/11/22
Sampling Method: SOP.T.20.010.FL




PASSED
Pages 1 of 5

Nov 11, 2022 | HIGH ROLLER PRIVATE LABEL LLC
4095N 28TH WAY
HOLLYWOOD, FL, 33020, US



PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 FiltH PASSED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

Cannabinoid **PASSED**

 Total THC 0% Total THC/Gummy : 0 mg	 Total CBD 0.552% Total CBD/Gummy : 41.4 mg	 Total Cannabinoids 0.554% Total Cannabinoids/Gummy : 41.55 mg
---	---	--

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	0.552	ND	ND	ND	ND	ND	ND	0.002	ND
mg/g	ND	ND	5.52	ND	ND	ND	ND	ND	ND	0.02	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3404, 1665, 53 Weight: 7.753g Extraction date: 11/09/22 11:28:26 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA052165POT Reviewed On : 11/10/22 11:47:23
Instrument Used : DA-LC-007 Batch Date : 11/09/22 08:51:45
Running on : 11/09/22 10:25:38

Dilution : 40
Reagent : 100622.36; 110222.R44; 030322.03; 110222.R41
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA21109007-002

Harvest/Lot ID: WR2S4422

Batch# : WR2S4422

Sampled : 11/09/22

Ordered : 11/09/22

Sample Size Received : 160 gram

Total Batch Size : N/A

Completed : 11/11/22 Expires: 11/11/23

Sample Method : SOP Client Method

 4095N 28TH WAY
 HOLLYWOOD, FL, 33020, US
 Telephone: (954) 505-4481
 Email: admin@highrollerllc.com

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND		
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND		
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND		
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND		
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND		
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND		
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND		
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND		
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND		
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND		
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND		
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND		
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND		
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND		
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND		
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND		
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND		
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND		
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND		
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND		
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND		
CUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND		
DAMINOZIDE	0.01	ppm	0.1	PASS	ND								
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	3404, 450, 585, 795	Weight:	0.9716g	Extraction date:	11/09/22 12:18:29	Extracted by:	450
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, SOP.T.40.151.FL						
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA052178PES						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)						
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on :	11/09/22 13:19:49						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Dilution :	250						
FENHEXAMID	0.01	ppm	3	PASS	ND	Reagent :	110722.R01; 110422.R18; 110722.R24; 110922.R07; 092820.59						
FENOXICARB	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02						
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Pipette :	DA-093; DA-094; DA-219						
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
FLONICAMID	0.01	ppm	2	PASS	ND	Analyzed by:	3404, 450, 53	Weight:	0.9716g	Extraction date:	N/A	Extracted by:	N/A
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analysis Method :	N/A						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analytical Batch :	DA052180VOL						
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-001						
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Running on :	N/A						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Dilution :	25						
MALATHION	0.01	ppm	2	PASS	ND	Reagent :	110422.R18; 092820.59; 101922.R76; 101922.R75						
METALAXYL	0.01	ppm	3	PASS	ND	Consumables :	6676024-02; 14725401						
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146						
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
MEVINPHOS	0.01	ppm	0.1	PASS	ND								
MYCLOBUTANIL	0.01	ppm	3	PASS	ND								
NALED	0.01	ppm	0.5	PASS	ND								



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA21109007-002

Harvest/Lot ID: WR2S4422

Batch#: WR2S4422

Sampled : 11/09/22

Ordered : 11/09/22

Sample Size Received : 160 gram

Total Batch Size : N/A

Completed : 11/11/22 Expires: 11/11/23

Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: N/A	Weight: N/A	Extraction date: N/A	Extracted by: N/A
------------------	-------------	----------------------	-------------------

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA052186SOL
Instrument Used : DA-GCMS-002
Running on : 11/09/22 13:47:11

Reviewed On : 11/10/22 12:51:05
Batch Date : 11/09/22 11:10:52

Dilution : 1
Reagent : 030420.09
Consumables : 27296; KF140
Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA21109007-002
Harvest/Lot ID: WR2S4422

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Batch# : WR2S4422
Sampled : 11/09/22
Ordered : 11/09/22

Sample Size Received : 160 gram
Total Batch Size : N/A
Completed : 11/11/22 Expires: 11/11/23
Sample Method : SOP Client Method

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
LISTERIA MONOCYTOGENES			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3404, 3336, 3621, 585 Weight: 1.0795g Extraction date: 11/09/22 11:30:15 Extracted by: 3336

Analysis Method : N/A
Analytical Batch : DA052190MIC Reviewed On : 11/11/22 13:16:34
Instrument Used : PathogenDx Scanner DA-111 Batch Date : 11/09/22 11:29:01
Running on : N/A

Dilution : N/A
Reagent : 071422.18; 110822.R31; 052422.04
Consumables : N/A
Pipette : N/A

Analyzed by: 3404, 3336, 585 Weight: 1.0795g Extraction date: 11/09/22 11:30:15 Extracted by: 3336

Analysis Method : SOP.T.40.208, SOP.T.40.209.FL
Analytical Batch : DA052191TYM Reviewed On : 11/11/22 12:26:03
Instrument Used : Incubator (25-27C) DA-097 Batch Date : 11/09/22 11:30:16
Running on : N/A

Dilution : N/A
Reagent : 071422.18
Consumables : 004103
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3404, 585, 795 Weight: 0.9716g Extraction date: N/A Extracted by: N/A

Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : DA052179MYC Reviewed On : 11/11/22 13:32:52
Instrument Used : DA-LCMS-004 (MYC) Batch Date : 11/09/22 09:43:07
Running on : 11/09/22 13:19:54

Dilution : 250
Reagent : 110722.R01; 110422.R18; 110722.R24; 110922.R07; 092820.59
Consumables : 6676024-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
LEAD	0.05	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3

Analyzed by: 3404, 3619, 1022, 53 Weight: 0.411g Extraction date: 11/09/22 11:41:53 Extracted by: 3619

Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL
Analytical Batch : DA052166HEA Reviewed On : 11/10/22 10:20:08
Instrument Used : DA-ICPMS-003 Batch Date : 11/09/22 08:53:32
Running on : 11/09/22 12:50:44

Dilution : 50
Reagent : 102122.R23; 080222.R36; 110422.R23; 110222.R49; 110422.R21; 110422.R22; 101722.R39; 101722.R38; 100622.35
Consumables : 179436; 210508058; 210803-059
Pipette : DA-061; DA-106; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA21109007-002
Harvest/Lot ID: WR2S4422
Batch# : WR2S4422
Sampled : 11/09/22
Ordered : 11/09/22

Sample Size Received : 160 gram
Total Batch Size : N/A
Completed : 11/11/22 Expires: 11/11/23
Sample Method : SOP Client Method

Page 5 of 5

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 3404, 1879, 585	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : N/A
Analytical Batch : DA052263FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 11/11/22 13:39:39

Reviewed On : 11/11/22 13:47:06
Batch Date : 11/11/22 09:16:43

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.