

**COMPLIANCE FOR RETAIL** 

**Kaycha Labs** Full Spectrum, Sour Diesel, 2g Disposable, 1000mg Cannabinoids




4131 SW 47th AVENUE SUITE 1408 Type: HEMP/CBD F DAVIE, FL, 33314, US (954) 368-7664

**Certificate of Analysis** 

Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

> Sample:DA31223010-001 Harvest/Lot ID: VFSSD4423 Batch#: VFSSD4423 Sample Size Received: 30 gram Total Amount: 30 gram Retail Product Size: 2 gram Ordered: 12/22/23 Sampled: 12/23/23 Completed: 12/27/23 Sampling Method: SOP.T.20.010.FL



Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/27/23



Full Spectrum, Sour Diesel, 2g Disposable, 1000mg Cannabinoids Matrix : Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# ertificate of Analysis

PASSED

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Email: admin@highrollerllc.com Harvest/Lot ID: VFSSD4423 Batch# : VESSD4423 Sampled : 12/23/23 Ordered : 12/23/23

Sample : DA31223010-001

Sample Size Received : 30 gram Total Amount : 30 gram Completed : 12/27/23 Expires: 12/27/24 Sample Method : SOP Client Method

Page 2 of 5



### Pesticides

esticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	< 0.050
OTAL SPINETORAM	0.010		0.2 0.1	PASS PASS	ND ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
OTAL SPINOSAD	0.010		0.3	PASS	ND	PROPICONAZOLE	0.010	maa	1	PASS	ND
BAMECTIN B1A	0.010 0.010		3	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
CEPHATE CEQUINOCYL	0.010		2	PASS	ND	PYRETHRIN I	0.010		1	PASS	ND
CETAMIPRID	0.010		3	PASS	ND	PYRETHRIN II	0.010		1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	PYRIDABEN	0.010		3	PASS	ND
ZOXYSTROBIN	0.010		3	PASS	ND				3	PASS	
IFENAZATE	0.010		3	PASS	ND	SPIROMESIFEN	0.010		-		ND
IFENTHRIN	0.010		0.5	PASS	< 0.050	SPIROTETRAMAT	0.010		3	PASS	ND
OSCALID	0.010		3	PASS	ND	SPIROXAMINE	0.010		0.1	PASS	ND
ARBARYL	0.010	P.P.	0.5	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.010		3	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
HLORMEOUAT CHLORIDE	0.010		3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
LOFENTEZINE	0.010	ppm	0.5	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
OUMAPHOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
IAZINON	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010		0.1	PASS	ND
ICHLORVOS	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
IMETHOATE	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
THOPROPHOS	0.010	ppm	0.1	PASS	ND				0.5		
TOFENPROX	0.010		0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 4044 0.2174g	Extraction	06:52:20		Extracted b 4056,3379	iy:
TOXAZOLE	0.010		1.5	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville			SOP T 40 101		)
ENHEXAMID	0.010		3	PASS	ND	SOP.T.40.102.FL (Davie)	,, 501.1.50.10	2.1 E (Duvic),	501.11.40.101	LI E (Guinesvine)	h
ENOXYCARB	0.010		0.1	PASS	ND	Analytical Batch : DA067710PES			<b>Dn :</b> 12/27/23 1		
ENPYROXIMATE	0.010		2	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:12/23/23 12	:40:13	
PRONIL	0.010		0.1	PASS	ND	Analyzed Date : N/A					
LONICAMID	0.010		2	PASS	ND	Dilution : 250 Reagent : 122023.R04; 040423.08; 122323.R01	1. 122022 002	121022 003	. 112122	122022 001	
LUDIOXONIL	0.010		3	PASS	ND	Consumables : 3262501W	L, 122025.RU5	121925.NU	D, 112125.N15	, 122025.RUI	
EXYTHIAZOX	0.010		2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
IAZALIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizin	ng Liquid Chrom	atography Tr	iple-Quadrupo	le Mass Spectron	metry in
/IDACLOPRID	0.010		3	PASS	ND	accordance with F.S. Rule 64ER20-39.					
RESOXIM-METHYL	0.010		1 2	PASS PASS	ND ND	Analyzed by: Weight:	Extractio			Extracted by	y:
ALATHION	0.010 0.010		2	PASS	ND	<b>450, 585, 4044</b> 0.2174g	12/26/23		. COD T 40.15	4056,3379	
ETALAXYL ETHIOCARB	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville Analytical Batch :DA067711VOL			), SOP.1.40.15 12/27/23 11:5		
ETHOCARB	0.010		0.1	PASS	ND	Instrument Used :DA-GCMS-010			2/23/23 12:40		
	0.010		0.1	PASS	ND	Analyzed Date :12/26/23 13:23:54	20		,== ====	-	
EVINPHOS YCLOBUTANIL	0.010		3	PASS	ND	Dilution : 250					
ALED	0.010		0.5	PASS	ND	Reagent: 122023.R04; 040423.08; 121423.R01	l; 112723.R15				
ALLD	0.010	Phili	0.0		110	Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/27/23



Full Spectrum, Sour Diesel, 2g Disposable, 1000mg Cannabinoids Matrix : Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

PASSED

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Email: admin@highrollerllc.com Sample : DA31223010-001 Harvest/Lot ID: VFSSD423 Batch# : VFSSD423 Sampled : 12/23/23 Ordered : 12/23/23

Sample Size Received : 30 gram Total Amount : 30 gram Completed : 12/27/23 Expires: 12/27/24 Sample Method : SOP Client Method

Page 3 of 5



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
,2-DICHLOROETHANE	0.200	ppm	5	PASS	ND
ACETONE	75.000	ppm	5000	PASS	ND
DICHLOROMETHANE	12.500	ppm	600	PASS	ND
BENZENE	0.100	ppm	2	PASS	ND
-PROPANOL	50.000	ppm	500	PASS	ND
HLOROFORM	0.200	ppm	60	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	2000	PASS	ND
CETONITRILE	6.000	ppm	410	PASS	ND
THYL ETHER	50.000	ppm	5000	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	3000	PASS	ND
I-HEXANE	25.000	ppm	290	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	890	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
ROPANE	500.000	ppm	2100	PASS	ND
RICHLOROETHYLENE	2.500	ppm	80	PASS	ND
YLENES-M&P (1,3&1,4-DIMETHYLBENZENE)	27.000	ppm	2170	PASS	ND
YLENES-O (1,2-DIMETHYLBENZENE)	13.500	ppm	2170	PASS	ND
nalyzed by: 50, 585, 4044	Weight: 0.0224g	Extraction date: 12/27/23 09:05:15		<b>Ext</b> 360	racted by: )5
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA067737SOL nstrument Used : DA-GCMS-003 Analyzed Date : 12/26/23 16:24:43			<b>d On :</b> 12/27/23 16:52:07 <b>te :</b> 12/26/23 14:18:25		
Dilution : 1 Reagent : N/A					

Consumables : 27296; 30395

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 12/27/23



Page 4 of 5

..... Full Spectrum, Sour Diesel, 2g Disposable, 1000mg Cannabinoids Matrix : Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# ertificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Email: admin@highrollerllc.com Harvest/Lot ID: VFSSD4423 Batch# : VESSD4423 Sampled : 12/23/23 Ordered : 12/23/23

Sample Size Received : 30 gram Total Amount : 30 gram Completed : 12/27/23 Expires: 12/27/24 Sample Method : SOP Client Method

Ç	Microl	bial			PAS	SED	သို့	My	ycotox	ins			PAS	SED
Analyte		LOD	) Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	S TERREUS			Not Present	PASS		AFLATOXIN B	2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	5 NIGER			Not Present	PASS		AFLATOXIN B	L		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	5 FUMIGATUS			Not Present	PASS		OCHRATOXIN	Α		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN G	1		0.002	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN G	2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction dat	<b>A</b> '	E	tracted b	
TOTAL YEAS	FAND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 4044		0.2174g	12/26/23 06:5			056,3379	·y.
			Extraction date: Extracted by:   12/23/23 13:50:37 3963,3336   V58.FL, SOP.T.40.209.FL Reviewed On: 12/27/23   16:59:40 16:59:40				Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),   SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)   Analytical Batch : DA067712MYC Reviewed On : 12/26/23 11:03:00   Instrument Used : N/A Batch Date : 12/23/23 12:41:04							
Biosystems The DA-020,fisherb sotemp Heat E Analyzed Date Dilution : N/A	: 12/26/23 14:12: 23.04; 112423.R	.3,fisherbran at Block DA-0 38	d Isotemp He 149,Fisher Sci	entific	41		122023.R01 Consumables : 3 Pipette : DA-09 Mycotoxins testir accordance with	26250IV 3; DA-09 ng utilizin F.S. Rule	W 94; DA-219 g Liquid Chromate 64ER20-39.	2323.R01; 12202		le Mass Spe	ctrometry	in
Analyzed by: 4351, 3621, 58	5, 4044	Weight: 0.8831g	Extraction d 12/23/23 13		Extracted 3963,333		[ Hg ]	Не	avy M	etals			PAS	SEC
Analytical Batc	d : SOP.T.40.208 h : DA067718TYM d : Incubator (25-	1	Rev	9.FL <b>/iewed On :</b> 12/2 (ch Date : 12/23)	- / -		Metal			LOD	Units	Result	Fail	Action Level
Analyzed Date	: 12/24/23 10:02:	20						MINAN	IT LOAD META		ppm	ND	PASS	1.1
Dilution : N/A							ARSENIC			0.020	ppm	ND	PASS	1.5
Reagent: 1107	23.04; 112423.R	02					CADMIUM			0.020	ppm	ND	PASS	0.5
Consumables :	N/A						MERCURY			0.020	ppm	ND	PASS	3
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	nold testing is perfo F.S. Rule 64ER20-3		MPN and tradit	ional culture base	d technique:	s in	Analyzed by: 1022, 585, 4044		Weight: 0.2669g	Extraction dat 12/24/23 08:5			<b>tracted</b> b 306,1022	y:
							Analysis Method Analytical Batch Instrument Used Analyzed Date :	: DA06 : DA-IC	7708HEA 2PMS-004	Reviewe		/27/23 11: 3/23 12:37		

Dilution: 50

Reagent: 120123.R17; 122623.R06; 121723.R01; 122623.R04; 122623.R05; 122023.R43; 120623.R45 Consumables : 210508058; 12594-247CD-247C

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/27/23

Sample : DA31223010-001



Full Spectrum, Sour Diesel, 2g Disposable, 1000mg Cannabinoids Matrix : Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

## PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Email: admin@highrollerllc.com Sample : DA31223010-001 Harvest/Lot ID: VFSSD4423 Batch# : VFSSD4423 Sampled : 12/23/23 Ordered : 12/23/23

PASSED

Sample Size Received : 30 gram Total Amount : 30 gram Completed : 12/27/23 Expires: 12/27/24 Sample Method : SOP Client Method



Analyte Filth and Foreign Materia	al	<b>LOD</b> 0.100	Units %	Result ND	P/F PASS	Action Level	
Analyzed by: 1879, 585, 4044	nt:	Extraction date: N/A		Extracted by: N/A			
Analysis Method : SOP.T.40. Analytical Batch : DA067698 Instrument Used : N/A Analyzed Date : 12/24/23 12		Reviewed On : 12/24/23 13:21:48 Batch Date : 12/23/23 11:26:31					
Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A							

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/27/23

Page 5 of 5