

CBD + THC Full Spectrum Oil, 2400mg CBD and 150 mg D8 per 30mL, in MCT

Matrix: Edible

Kaycha Labs



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30405006-001 Harvest/Lot ID: FS+THC2423

Batch#: FS+THC2423

Sample Size Received: 20 ml Total Amount: 20 ml

> Retail Product Size: 30 ml Ordered: 04/04/23

Sampled: 04/04/23

Completed: 04/07/23 Sampling Method: SOP.T.20.010.FL

Pages 1 of 5

Apr 07, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US



PRODUCT IMAGE

SAFETY RESULTS





















MISC.

NOT TESTED

PASSED

Pesticides

Heavy Metals PASSED

Microbials

Mycotoxins

Residuals Solvents PASSED

Reviewed On: 04/06/23 10:30:18

Batch Date: 04/05/23 08:42:04

Water Activity

Moisture

Cannabinoid

D8-THC 0.561%

D8-THC/Container: 158.202 mg



Total CBD 8.714% Total CBD/Container: 2457.348 mg



Total Cannabinoids

Total Cannabinoids/Container: 2678.436

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA058296POT Instrument Used : DA-LC-007 Analyzed Date : 04/05/23 12:20:30

Dilution: 40 Reagent: 040323.01; 040323.R03; 071222.35; 071222.01; 040323.R02 Consumables: 250346; CE0123; 12608-302C0-302C; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64FR20-39

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Signed On

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs CBD + THC Full Spectrum Oil, 2400mg CBD and 150 mg D8 per 30mL, in MCT

Matrix : Edible

Certificate of Analysis

HIGH ROLLER PRIVATE LABEL LLC

DAVIE, FL, 33314, US

4095N 28TH WAY HOLLYWOOD, FL, 33020, US **Telephone:** (954) 505-4481

Sample: DA30405006-001 Harvest/Lot ID: FS+THC2423

Batch#:FS+THC2423 Sampled: 04/04/23 Ordered: 04/04/23

Sample Size Received: 20 ml Total Amount : 20 ml Completed : 04/07/23 Expires: 04/07/24 Sample Method : SOP Client Method

PASSED

Page 2 of 5



Pesticides

PASSED

esticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
	0.01		Level		ND				Level		
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	1	PASS PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.01	ppm	1 3	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	3	PASS	ND ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.3	PASS	ND	PROPICONAZOLE	0.01	mag	1	PASS	ND
SAMECTIN B1A		ppm	3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEPHATE	0.01	ppm	2	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
CEQUINOCYL	0.01	ppm	3	PASS	ND		0.01	ppm	3	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		71 X			
DICARB	0.01		3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
OXYSTROBIN		ppm		PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	3 0.5	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
FENTHRIN		ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
ARBOFURAN	0.01	ppm	3	PASS	ND ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
ILORANTRANILIPROLE	0.01	ppm			ND ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
ILORMEQUAT CHLORIDE	0.01	ppm	3	PASS PASS		CAPTAN *	0.07	PPM	3	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1		ND	7" ""					
OFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
AZINON	0.01	ppm		PASS PASS		CYPERMETHRIN *	0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1		ND	Analyzed by: Weight:	Ex	traction da	ate:	Extracte	d by:
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 4044, 2023 0.2179g	04	/05/23 15:1	L3:07	3379,450	1
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (Gainesvil	le), SOP.1	.30.102.FL	(Davie), SOP	.T.40.101.FL (Gainesvil
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)		/. \. /.			
OXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA058311PES Instrument Used : DA-LCMS-003 (PES)			l On :04/07/2 te :04/05/23		
NHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date: 04/05/23 14:47:05		Daten Da	te:04/05/25	10:00:10	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
NPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent: 040323.R22; 040423.R26; 040323.	R23: 032	723.R02: 0	32123.R01: 0	40523.R01: 04	0521.11
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02	/ ' \	// //		//	
ONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
UDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utiliz		Chromatog	graphy Triple-	Quadrupole Ma	SS
XYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordance with F.S. Rule 64ER:					
AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		raction da		Extracted	
IDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 4044, 2023 0.2179g		05/23 15:1:		3379,450	
ESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gainesvill Analytical Batch: DA058312VOL			n :04/07/23 1		
LATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-001			04/05/23 10:		
TALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 04/05/23 15:14:28	\ \ \		, 00, 20 10.		
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
THOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 040323.R23; 040521.11; 030923.R3	23; 0309	23.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
YCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utiliz	ing Cac C	hromatogra	nhy Trinle-Ou	adrupolo Macc	Spectron

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



04/07/23



Kaycha Labs

CBD + THC Full Spectrum Oil, 2400mg CBD and 150 mg D8 per 30mL, in MCT

Matrix : Edible



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

Certificate of Analysis

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US **Telephone:** (954) 505-4481 **Email:** admin@highrollerllc.com Sample: DA30405006-001 Harvest/Lot ID: FS+THC2423

Batch#: FS+THC2423 Sampled: 04/04/23 Ordered: 04/04/23 Sample Size Received : 20 ml
Total Amount : 20 ml
Completed : 04/07/23 Expires: 04/07/24
Sample Method : SOP Client Method

PASSED

Page 3 of 5



Residual Solvents

PASSED	D
--------	---

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044, 2023	Weight: 0.0291g	Extractio 04/06/23	on date: 3 15:56:46	//	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA058350SOL Instrument Used : DA-GCMS-002 Analyzed Date : 04/07/23 14:24:36

 $\begin{array}{c} \textbf{Reviewed On: } 04/07/23\ 14{:}37{:}46 \\ \textbf{Batch Date: } 04/05/23\ 15{:}21{:}10 \\ \end{array}$

Dilution: 1 Reagent: N/A Consumables: N/A Pipette: N/A

 $Residual\ solvents\ analysis\ is\ performed\ utilizing\ Gas\ Chromatography\ Mass\ Spectrometry\ in\ accordance\ with\ with\ F.S.\ Rule\ 64ER20-39.$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



04/07/23



CBD + THC Full Spectrum Oil, 2400mg CBD and 150 mg D8 per 30mL, in MCT

Matrix : Edible

Kaycha Labs



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US **Telephone:** (954) 505-4481 Sample : DA30405006-001 Harvest/Lot ID: FS+THC2423

Batch#:FS+THC2423 Sampled: 04/04/23 Ordered: 04/04/23

Sample Size Received: 20 ml Total Amount : 20 ml Completed : 04/07/23 Expires: 04/07/24 Sample Method : SOP Client Method

Page 4 of 5

Reviewed On: 04/07/23 10:13:59

Batch Date: $04/05/23 \ 13:22:31$



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 3390, 3621, 585, 4044	Weight: 0.8296g	Extraction date: 04/05/23 11:38:58		Extract 3390	ted by:

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL **Reviewed On:** 04/07/23 09:35:13 **Batch Date:** 04/05/23 08:16:38

Analytical Batch: DA058293MIC
Instrument Used: DA-265 Gene-UP RTPCR Analyzed Date: 04/05/23 11:54:14

Dilution: N/A

Reagent: 033123.R30; 040423.R38

Consumables: 2125220 Pinette: N/A

Analyzed by: 3336, 585, 4044

Extraction date 04/05/23 11:44:31 3390.3336

1.1153a Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch: DA058334TYM
Instrument Used: Incubator (25-27C) DA-097 Reviewed On: 04/07/23 11:28:41 Batch Date: 04/05/23 11:41:18 Analyzed Date: 04/05/23 12:39:12

Dilution: 10

Reagent: 011223.53; 032323.R29

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

246	Mycocoxiiis			IASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN E	32	0.002	ppm	ND	PASS	0.02		
AFLATOXIN E	31	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN	IA	0.002	ppm	ND	PASS	0.02		

Analyzed by: 3379, 585, 4044, 2023	Weight: 0.2179g	Extraction 04/05/23			Extracte 3379,45	
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
						LCVCI

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA058344MYC

Instrument Used: DA-LCMS-003 (MYC) Analyzed Date: 04/05/23 14:47:54

Dilution: 250 Reagent: 040323.R22; 040423.R26; 040323.R23; 032723.R02; 032123.R01; 040523.R01; 040521.11

Consumables: 6697075-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD M	IETALS	0.11	ppm	ND	PASS	5
ARSENIC		0.02	ppm	ND	PASS	1.5
CADMIUM		0.02	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	3
LEAD		0.05	ppm	ND	PASS	0.5
Analyzed by: W	leight:	Extractio	n date:		Extracted	l by:
1022, 585, 4044, 2023	.2272g	04/05/23	10:30:53		3619,102	2

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA058300HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 04/05/23 13:27:37

Reviewed On: 04/06/23 09:41:52 Batch Date: 04/05/23 08:55:38

Reagent: 031423.R28; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 033123.R25;

032323.R07; 040323.R21; 020123.02

Consumables: 179436; 210508058; 12608-302CD-302C

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



04/07/23



CBD + THC Full Spectrum Oil, 2400mg CBD and 150 mg D8 per 30mL, in MCT

Matrix: Edible

Kaycha Labs



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US **Telephone:** (954) 505-4481 Sample : DA30405006-001 Harvest/Lot ID: FS+THC2423

Batch#:FS+THC2423 Sampled: 04/04/23 Ordered: 04/04/23

Sample Size Received: 20 ml Total Amount : 20 ml Completed : 04/07/23 Expires: 04/07/24 Sample Method : SOP Client Method

PASSED

Page 5 of 5



Filth/Foreign **Material**

Reviewed On: 04/05/23 14:33:16

Batch Date: 04/05/23 12:17:27

Analyte Units **Action Level** Filth and Foreign Material PASS 0.1 % ND **Extraction date:** Extracted by:

Analyzed by: Weight: 1879, 4044

Analysis Method: SOP.T.40.090 Analytical Batch : DA058336FIL

Instrument Used: Filth/Foreign Material Microscope

Analyzed Date: 04/05/23 14:27:43

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.01	aw	0.658	PASS	0.85

Extraction date: Extracted by: Analyzed by: 2926, 585, 4044 6.548q 04/05/23 15:18:09

Analysis Method: SOP.T.40.019 Analytical Batch : DA058322WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 04/05/23 13:44:32

Reviewed On: 04/05/23 15:40:46 Batch Date: 04/05/23 11:25:52

Reagent: 100522.09 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



04/07/23